

SCHWUNG



PRODUCT INFORMATION

SCHWUNG

TO EXIST AND THRIVE WITHOUT CAUSING HARM

From day one of our company, we made it clear that we go green, and we meant it.

Besides the usual recycling of waste, cutting down our electricity and water use, we went a few steps further. We believe that consciousness and care must shine through everything we do.

That's why, next to our photovoltaic solar panel, that produces 80% of our company's electricity demand. We created a flower patch. It's not just for admiring its flourishing beauty, but also to support local bees and bid farewell to mowing a lawn—an often-overlooked activity that destroys the natural habitat of various species and contributes to the wasteful use of petrol.

Speaking of which, we always encourage commuting via bike rather than a vehicle. Our offices and warehouses are equipped with bike stands available to all employees and guests who decide to drop by and pay a visit. We are devoted to sourcing materials and producing our precious objects locally, maintaining a short and well-thought-out supply chain to ensure our carbon footprint is minimal.

At SCHWUNG, everything is handcrafted. Our carefully formed fixtures, made from recyclable materials like brass and glass, have come to existence to last and complement every space with their charm and elegance.

Nothing is more wasteful than fading trends, all our illuminated objects are made of brass and glass, achieving a recycling rate of at least 95%. Timelessness and quality are the signatures we gladly put under every piece that leaves in the hands of our skilled artisans. Rest assured that every piece will arrive safely, packed in a 100% recyclable cardboard box and secured by cushioning consisting of 65% Ethafoam® HRC, an entirely recyclable material.

In keeping with eco-conscious advancements, we've adopted a more conservative approach to printing. In this digital age, our offices are moving away from physical copies of every document to computer databases and archives. We feel responsible for protecting forest ecosystems and reducing the demand for energy-intensive manufacturing processes.

Care is an action, an emotion, an exploration. We feel a need to try harder, to do more to maintain the splendor of nature itself. Regardless of the size of the effort, the goal remains the same: to exist and thrive without causing harm. The core of our eco-consciousness is to implement care for the surroundings in everything we do. From minor improvements to great changes, we untiringly put effort into everything we do and will continue to do so for the greater good.

Rudi Nijssen & Dominique Sente

CEO & Creative Director at SCHWUNG

Schwung is a creative studio with the heart of a collector and the hands of a maker. We imagine, design, build and gather an endlessly evolving family of desirable objects that bring energy, warmth and pleasure to personal spaces of every kind. We're obsessive accumulators – of objects, stories and people. We're constantly growing our unique archive of useful, whimsical and beautiful pieces that have lived – and will live – for years and generations to come. We call them enlightened objects.

Table of Content

Ceiling

Flush Mount

Wall

Floor

Table

Globe Types

Contact

Ceiling






Riegel

Chandelier - B303


Globe Collection

Schwung Product Information

Vaulted Ceiling Mount



Fixed Mount



Glass Lampshades	16 x Ø 200 mm / Ø 7.9"		
	¹ Soda Lime Triplex Opal Matte Glass		
	² Soda Lime Marble Matte Glass		
	³ Borosilicate Transparent Ribbon Glass		
Weight	32.2 kg / 71.2 lb		
Light Source	LED Bulb (included)	16 x 4-5 W	
	Max Wattage	16 x 10 W	
	Total Lumens	3520 lm	
	Color Temperature	2200-3000 K	
	Bulb Base	E14 / E12	
	Power Supply	230/120V CE/UL	
	Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"
Canopy (Vaulted Ceiling Compatible)	W 640 mm	D 140 mm	H 13 mm
	W 26.8"	D 5.5"	H 0.5"
Certified	CE/UL		
Ingress Protection	IP 20		




Armstrong Linear

Chandelier - B374


Globe Collection

Schwung Product Information

Vaulted Ceiling Mount



Fixed Mount



Glass Lampshades	10 x Ø 200 mm / Ø 7.9"		
	¹ Soda Lime Triplex Opal Matte Glass		
	² Soda Lime Marble Matte Glass		
	³ Borosilicate Transparent Ribbon Glass		
Weight	18.6 kg / 41.0 lb		
Light Source	LED Bulb (included)	10 x 4-5 W	
	Max Wattage	10 x 10 W	
	Total Lumens	2200 lm	
	Color Temperature	2200-3000 K	
	Bulb Base	E14 / E12	
	Power Supply	230/120V CE/UL	
	Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"
Canopy (Vaulted Ceiling Compatible)	W 920 mm	D 140 mm	H 12 mm
	W 36.2"	D 5.5"	H 0.5"
Certified	CE/UL		
Ingress Protection	IP 20		



Orion Oval


Flush Mount - B612

Globe Collection


Schwung Product Information

Vaulted Ceiling Mount

Fixed Mount



Glass Lampshades	16 x Ø 200 mm / Ø 7.9"		
	¹ Soda Lime Triplex Opal Matte Glass		
	² Soda Lime Marble Matte Glass		
	³ Borosilicate Transparent Ribbon Glass		
Weight	26.6 kg / 58.6 lb		
Light Source	LED Bulb (included)	16 x 1.6 W	
	Max Wattage	16 x 5 W	
	Total Lumens	3520 lm	
	Color Temperature	2200-3000 K	
	Bulb Base	E14 / E12	
	Power Supply	230/120V CE/UL	
	Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"
Canopy (Vaulted Ceiling Compatible)	Ø 200 mm	H 12 mm	
	Ø 7.9"	H 0.5"	
Certified	CE/UL		
Ingress Protection	IP 20		



Orion Round


Flush Mount - B300

Globe Collection

Schwung Product Information

Vaulted Ceiling Mount

Fixed Mount



Glass Lampshades	12 x Ø 200 mm / Ø 7.9"		
	¹ Soda Lime Triplex Opal Matte Glass		
	² Soda Lime Marble Matte Glass		
	³ Borosilicate Transparent Ribbon Glass		
Weight	19.5 kg / 43.0 lb		
Light Source	LED Bulb (included)	12 x 4-5 W	
	Max Wattage	12 x 10 W	
	Total Lumens	2640 lm	
	Color Temperature	2200-3000 K	
	Bulb Base	E14 / E12	
	Power Supply	230/120V CE/UL	
	Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"
Canopy (Vaulted Ceiling Compatible)	Ø 140 mm	H 12 mm	
	Ø 5.5"	H 0.5"	
Certified	CE/UL		
Ingress Protection	IP 20		




Zodiac

Chandelier - B298


Globe Collection

Schwung Product Information

Vaulted Ceiling Mount



Fixed Mount



Glass Lampshades	18 x Ø 200 mm / Ø 7.9"		
	¹ Soda Lime Triplex Opal Matte Glass		
	² Soda Lime Marble Matte Glass		
	³ Borosilicate Transparent Ribbon Glass		
Weight	26.8 kg / 59.1 lb		
Light Source	LED Bulb (included)	18 x 4-5 W	
	Max Wattage	18 x 10 W	
	Total Lumens	3960 lm	
	Color Temperature	2200-3000 K	
	Bulb Base	E14 / E12	
	Power Supply	230/120V CE/UL	
	Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"
Canopy (Vaulted Ceiling Compatible)	Ø 200 mm	H 12 mm	
	Ø 7.9"	H 0.5"	
Certified	CE/UL		
Ingress Protection	IP 20		



Glow


Chandelier - B404

Globe Collection

Schwung Product Information

Vaulted Ceiling Mount

Fixed Mount



Glass Lampshades	12 x Ø 200 mm / Ø 7.9"	
	9 x Ø 150 mm / Ø 5.9"	
	¹ Soda Lime Triplex Opal Matte Glass	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass	

Weight	24.5 kg / 54.0 lb	
--------	-------------------	--

Light Source	LED Bulb (included)	21 x 4-5 W
	Max Wattage	21 x 10 W
	Total Lumens	4620 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Power Supply	230/120V CE/UL

Dimmable with electronic dimmers only (ELV, trailing edge)

Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		

Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"

Canopy (Vaulted Ceiling Compatible)	Ø 200 mm	H 12 mm
	Ø 7.9"	H 0.5"

Certified	CE/UL		
-----------	-------	--	--

Ingress Protection	IP 20		
--------------------	-------	--	--



Nova


Chandelier - B430

Globe Collection

Schwung Product Information

Vaulted Ceiling Mount

Fixed Mount



Glass Lampshades	13 x Ø 150 mm / Ø 5.9"		
	6 x Ø 200 mm / Ø 7.9"		
	¹ Soda Lime Triplex Opal Matte Glass		
	² Soda Lime Marble Matte Glass		
	³ Borosilicate Transparent Ribbon Glass		
Weight	17.1 kg / 37.7 lb		
Light Source	LED Bulb (included)	19 x 4-5 W	
	Max Wattage	19 x 10 W	
	Total Lumens	4180 lm	
	Color Temperature	2200-3000 K	
	Bulb Base	E14 / E12	
	Power Supply	230/120V CE/UL	
	Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"
Canopy (Vaulted Ceiling Compatible)	Ø 140 mm	H 12 mm	
	Ø 5.5"	H 0.5"	
Certified	CE/UL		
Ingress Protection	IP 20		




Spider

Chandelier - B568

Globe Collection

Schwung Product Information



Glass Lampshades	6 x Ø 350 mm / Ø 13.8"	
	6 x Ø 300 mm / Ø 11.8"	
	1 x Ø 250 mm / Ø 9.9"	
	1 Soda Lime Triplex Opal Matte Glass	
Weight	29.1 kg / 64.1 lb	
Light Source	LED Bulb (included)	13 x 4-5 W
	Max Wattage	13 x 10 W
	Total Lumens	2860 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Power Supply	230/120V CE/UL
	Dimmable with electronic dimmers only (ELV, trailing edge)	
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
Canopy	Heritage Bronze	
	Ø 240 mm	H 18 mm
	Ø 9.4"	H 0.7"
Certified	CE/UL	
Ingress Protection	IP 20	




Globe Cluster 10

Chandelier - B533

Globe Collection

Schwung Product Information



Glass Lampshades	10 x Ø 200 mm / Ø 7.9"	
	¹ Soda Lime Triplex Opal Matte Glass	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass	
Weight	17.6 kg / 38.8 lb	
Light Source	LED Bulb (included)	10 x 4-5 W
	Max Wattage	10 x 10 W
	Total Lumens	2200 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	




Globe Single

Pendant - B581


Globe Collection

Schwung Product Information

Vaulted Ceiling Mount



Fixed Mount



Glass Lampshades	1 x Ø 200 mm / Ø 7.9"		
	¹ Soda Lime Triplex Opal Matte Glass		
	² Soda Lime Marble Matte Glass		
	³ Borosilicate Transparent Ribbon Glass		
Weight	2.5 kg / 5.5 lb		
Light Source	LED Bulb (included)	1 x 4-5 W	
	Max Wattage	1 x 10 W	
	Total Lumens	220 lm	
	Color Temperature	2200-3000 K	
	Bulb Base	E14 / E12	
	Power Supply	230/120V CE/UL	
	Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"
Canopy (Vaulted Ceiling Compatible)	Ø 140 mm	H 12 mm	
	Ø 5.5"	H 0.5"	
Certified	CE/UL		
Ingress Protection	IP 20		




Globe Marble Single

Pendant - B715

Globe Collection

Schwung Product Information



Glass Lampshades	Ø 300 mm / Ø 11.8 "		
	1 Soda Lime Marble Matte Glass		
Weight	3,1 kg / 6.8 lb		
Light Source	LED Bulb (included)	6 - 8 W	
	Max Wattage	15 W	
	Total Lumens	600 lm	
	Color Temperature	2000-3000 K	
	Bulb Base	E27 / E26	
	Power Supply	230/120V CE/UL	
		Dimmable with electronic dimmers only (ELV, trailing edge)	
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"
Canopy (Vaulted Ceiling Compatible)	Ø 140 mm	H 12 mm	
	Ø 5.5"	H 0.5"	
Certified	CE/UL		
Ingress Protection	IP 20		



Molecule Linear


Chandelier - B269

Molecule Collection

Schwung Product Information

Vaulted Ceiling Mount

Fixed Mount



Glass Lampshades	14 x Ø 120 mm / Ø 4.7"		
	¹ Borosilicate Transparent Glass		
	² Borosilicate Sandblasted Glass		
Weight	21.4 kg / 47.2 lb		
Light Source	LED Bulb (included)	14 x 3-4 W	
	Max Wattage	14 x 10 W	
	Total Lumens	2800 lm	
	Color Temperature	2000-2800 K	
	Bulb Base	E27 / E26	
	Power Supply	230/120V CE/UL	
	Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	2 x 150 mm	2 x 300 mm	2 x 450 mm
	2 x 5.9"	2 x 11.8"	2 x 17.7"
Canopy (Vaulted Ceiling Compatible)	W 920 mm	D 140 mm	H 12 mm
	W 36.2"	D 5.5"	H 0.5"
Certified	CE/UL		
Ingress Protection	IP 20		




Molecule Spark Oval 17

Chandelier - B218


Molecule Collection

Schwung Product Information

Vaulted Ceiling Mount



Fixed Mount



Glass Lampshades	17 x Ø 120 mm / Ø 4.7"		
	¹ Borosilicate Transparent Glass		
	² Borosilicate Sandblasted Glass		
Weight	16.7 kg / 36.8 lb		
Light Source	LED Bulb (included)	17 x 3-4 W	
	Max Wattage	17 x 10 W	
	Total Lumens	3400 lm	
	Color Temperature	2000-2800 K	
	Bulb Base	E27 / E26	
	Power Supply	230/120V CE/UL	
	Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"
Canopy (Vaulted Ceiling Compatible)	Ø 140 mm	H 12 mm	
	Ø 5.5"	H 0.5"	
Certified	CE/UL		
Ingress Protection	IP 20		




Molecule Spark Round 17

Chandelier - B222


Molecule Collection

Schwung Product Information

Vaulted Ceiling Mount



Fixed Mount



Glass Lampshades	17 x Ø 120 mm / Ø 4.7"		
	1 Borosilicate Transparent Glass		
	2 Borosilicate Sandblasted Glass		
Weight	18.1 kg / 39.9 lb		
Light Source	LED Bulb (included)	17 x 3-4 W	
	Max Wattage	17 x 10 W	
	Total Lumens	3400 lm	
	Color Temperature	2000-2800 K	
	Bulb Base	E27 / E26	
	Power Supply	230/120V CE/UL	
	Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"
Canopy (Vaulted Ceiling Compatible)	Ø 140 mm	H 12 mm	
	Ø 5.5"	H 0.5"	
Certified	CE/UL		
Ingress Protection	IP 20		




Molecule Spark Round 10

Chandelier - B274



Molecule Collection

Schwung Product Information

Vaulted Ceiling Mount



Fixed Mount



Glass Lampshades	10 x Ø 120 mm / Ø 4.7"		
	¹ Borosilicate Transparent Glass		
	² Borosilicate Sandblasted Glass		
Weight	12.0 kg / 26.4 lb		
Light Source	LED Bulb (included)	10 x 3-4 W	
	Max Wattage	10 x 10 W	
	Total Lumens	2000 lm	
	Color Temperature	2000-2800 K	
	Bulb Base	E27 / E26	
	Power Supply	230/120V CE/UL	
	Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"
Canopy (Vaulted Ceiling Compatible)	Ø 140 mm	H 12 mm	
	Ø 5.5"	H 0.5"	
Certified	CE/UL		
Ingress Protection	IP 20		




Molecule

Chandelier - B215

Molecule Collection

Schwung Product Information



Glass Lampshades	7 x Ø 120 mm / Ø 4.7"	
	¹ Borosilicate Transparent Glass	
	² Borosilicate Sandblasted Glass	
Weight	12.6 kg / 28.8 lb	
Light Source	LED Bulb (included)	7 x 3-4 W
	Max Wattage	7 x 10 W
	Total Lumens	1400 lm
	Color Temperature	2000-2800 K
	Bulb Base	E27 / E26
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	Classic Bronze	
	Heritage Bronze	
Canopy (Vaulted Ceiling Compatible)	Ø 140 mm	H 12 mm
	Ø 5.5"	H 0.5"
Certified	CE/UL	
Ingress Protection	IP 20	




Molecule Cluster 19

Chandelier - B309

Molecule Collection

Schwung Product Information



Glass Lampshades	19 x Ø 120 mm / Ø 4.7"	
	¹ Borosilicate Transparent Glass	
	² Borosilicate Sandblasted Glass	
Weight	28.0 kg / 61.7 lb	
Light Source	LED Bulb (included)	19 x 3-4 W
	Max Wattage	19 x 10 W
	Total Lumens	3800 lm
	Color Temperature	2000-2800 K
	Bulb Base	E27 / E26
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	




Molecule Single

Pendant - B223

Molecule Collection

Schwung Product Information



Glass Lampshades	1 x Ø 120 mm / Ø 4.7"	
	¹ Borosilicate Transparent Glass	
	² Borosilicate Sandblasted Glass	
Weight	1.5 kg / 3.3 lb	
Light Source	LED Bulb (included)	1 x 3-4 W
	Max Wattage	1 x 10 W
	Total Lumens	200 lm
	Color Temperature	2000-2800 K
	Bulb Base	E27 / E26
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	Classic Bronze	
	Heritage Bronze	
Canopy (Vaulted Ceiling Compatible)	Ø 140 mm	H 12 mm
	Ø 5.5"	H 0.5"
Certified	CE/UL	
Ingress Protection	IP 20	




Odyssey Linear LG

Chandelier - B158

Odyssey Collection

Schwung Product Information



Glass Lampshades	16 x Ø 100 mm x H 300 mm / Ø 3.9" x H 11.8"		
	¹ Triplex Opal Glass (acid etch on the outside)		
	² Soda Lime Marble Matte Glass		
	³ Borosilicate Transparent Ribbon Glass (extra charge of 30%)		
Weight	27.0 kg / 59.5 lb		
Light Source	LED Bulb (included)	16 x 4 W	
	Max Wattage	16 x 15 W	
	Total Lumens	3520 lm	
	Color Temperature	2200-3000 K	
	Bulb Base	E14 / E12	
	Bulb Size	G45, max length 80 mm / 3.2"	
	Power Supply	230/120V CE/UL	
	Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	2 x 150 mm	2 x 300 mm	2 x 450 mm
	2 x 5.9"	2 x 11.8"	2 x 17.7"
Certified	CE/UL/SAA		
Ingress Protection	IP 20		




Odyssey Linear MD

Chandelier - B157

Odyssey Collection

Schwung Product Information



Glass Lampshades	12 x Ø 100 mm x H 300 mm / Ø 3.9" x H 11.8"		
	¹ Triplex Opal Glass (acid etch on the outside)		
	² Soda Lime Marble Matte Glass		
	³ Borosilicate Transparent Ribbon Glass (extra charge of 30%)		
Weight	20.3 kg / 44.8 lb		
Light Source	LED Bulb (included)	12 x 4 W	
	Max Wattage	12 x 15 W	
	Total Lumens	2640 lm	
	Color Temperature	2200-3000 K	
	Bulb Base	E14 / E12	
	Bulb Size	G45, max length 80 mm / 3.2"	
	Power Supply	230/120V CE/UL	
	Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	2 x 150 mm	2 x 300 mm	2 x 450 mm
	2 x 5.9"	2 x 11.8"	2 x 17.7"
Certified	CE/UL/SAA		
Ingress Protection	IP 20		




Odyssey Linear SM

Chandelier - B144

Odyssey Collection

Schwung Product Information



Glass Lampshades	10 x Ø 100 mm x H 300 mm / Ø 3.9" x H 11.8"		
	¹ Triplex Opal Glass (acid etch on the outside)		
	² Soda Lime Marble Matte Glass		
	³ Borosilicate Transparent Ribbon Glass (extra charge of 30%)		
Weight	17.6 kg / 38.8 lb		
Light Source	LED Bulb (included)	10 x 4 W	
	Max Wattage	10 x 15 W	
	Total Lumens	2200 lm	
	Color Temperature	2200-3000 K	
	Bulb Base	E14 / E12	
	Bulb Size	G45, max length 80 mm / 3.2"	
	Power Supply	230/120V CE/UL	
	Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	2 x 150 mm	2 x 300 mm	2 x 450 mm
	2 x 5.9"	2 x 11.8"	2 x 17.7"
Certified	CE/UL/SAA		
Ingress Protection	IP 20		




Odyssey Linear XS

Chandelier - B143

Odyssey Collection

Schwung Product Information



Glass Lampshades	10 x Ø 100 mm x H 225 mm / Ø 3.9" x H 8.9"		
	¹ Triplex Opal Glass (acid etch on the outside)		
	² Soda Lime Marble Matte Glass		
	³ Borosilicate Transparent Ribbon Glass (extra charge of 30%)		
Weight	15.0 kg / 33.07 lb		
Light Source	LED Bulb (included)	10 x 4 W	
	Max Wattage	10 x 15 W	
	Total Lumens	2200 lm	
	Color Temperature	2200-3000 K	
	Bulb Base	E14 / E12	
	Bulb Size	G45, max length 80 mm / 3.2"	
	Power Supply	230/120V CE/UL	
	Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	2 x 150 mm	2 x 300 mm	2 x 450 mm
	2 x 5.9"	2 x 11.8"	2 x 17.7"
Certified	CE/UL/SAA		
Ingress Protection	IP 20		




Odyssey Round LG

Chandelier - B156

Odyssey Collection

Schwung Product Information



Glass Lampshades	10 x Ø 100 mm x H 300 mm / Ø 3.9" x H 11.8"		
	¹ Triplex Opal Glass (acid etch on the outside)		
	² Soda Lime Marble Matte Glass		
	³ Borosilicate Transparent Ribbon Glass (extra charge of 30%)		
Weight	21.1 kg / 46.5 lb		
Light Source	LED Bulb (included)	10 x 4 W	
	Max Wattage	10 x 15 W	
	Total Lumens	2200 lm	
	Color Temperature	2200-3000 K	
	Bulb Base	E14 / E12	
	Bulb Size	G45, max length 80 mm / 3.2"	
	Power Supply	230/120V CE/UL	
	Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"
Certified	CE/UL/SAA		
Ingress Protection	IP 20		




Odyssey Round MD

Chandelier - B155

Odyssey Collection

Schwung Product Information



Glass Lampshades	8 x Ø 100 mm x H 300 mm / Ø 3.9" x H 11.8"		
	¹ Triplex Opal Glass (acid etch on the outside)		
	² Soda Lime Marble Matte Glass		
	³ Borosilicate Transparent Ribbon Glass (extra charge of 30%)		
Weight	15.6 kg / 34.4 lb		
Light Source	LED Bulb (included)	8 x 4 W	
	Max Wattage	8 x 15 W	
	Total Lumens	1760 lm	
	Color Temperature	2200-3000 K	
	Bulb Base	E14 / E12	
	Bulb Size	G45, max length 80 mm / 3.2"	
	Power Supply	230/120V CE/UL	
	Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"
Certified	CE/UL/SAA		
Ingress Protection	IP 20		




Odyssey Round SM

Chandelier - B154

Odyssey Collection

Schwung Product Information



Glass Lampshades	6 x Ø 100 mm x H 300 mm / Ø 3.9" x H 11.8"		
	¹ Triplex Opal Glass (acid etch on the outside)		
	² Soda Lime Marble Matte Glass		
	³ Borosilicate Transparent Ribbon Glass (extra charge of 30%)		
Weight	11.8 kg / 26.0 lb		
Light Source	LED Bulb (included)	6 x 4 W	
	Max Wattage	6 x 15 W	
	Total Lumens	1320 lm	
	Color Temperature	2200-3000 K	
	Bulb Base	E14 / E12	
	Bulb Size	G45, max length 80 mm / 3.2"	
	Power Supply	230/120V CE/UL	
	Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"
Certified	CE/UL/SAA		
Ingress Protection	IP 20		




Odyssey Cluster 13

Chandelier - B160

Odyssey Collection

Schwung Product Information



Glass Lampshades	13 x Ø 100 mm x H 300 mm / Ø 3.9" x H 11.8"	
	¹ Triplex Opal Glass (acid etch on the outside)	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass (extra charge of 30%)	
Weight	31.2 kg / 68.8 lb	
Light Source	LED Bulb (included)	13 x 4 W
	Max Wattage	13 x 15 W
	Total Lumens	2860 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Bulb Size	G45, max length 80 mm / 3.2"
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL/SAA	
Ingress Protection	IP 20	




Odyssey Cluster 9

Chandelier - B159

Odyssey Collection

Schwung Product Information



Glass Lampshades	9 x Ø 100 mm x H 300 mm / Ø 3.9" x H 11.8"	
	¹ Triplex Opal Glass (acid etch on the outside)	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass (extra charge of 30%)	
Weight	20.7 kg / 45.6 lb	
Light Source	LED Bulb (included)	9 x 4 W
	Max Wattage	9 x 15 W
	Total Lumens	1980 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Bulb Size	G45, max length 80 mm / 3.2"
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL/SAA	
Ingress Protection	IP 20	




Odyssey 12

Pendant - B667

Odyssey Collection

Schwung Product Information



Glass Lampshades	3 x Ø 100 mm x H 150 mm / Ø 3.9" x H 5.9"		
	3 x Ø 100 mm x H 225 mm / Ø 3.9" x H 8.9"		
	6 x Ø 100 mm x H 300 mm / Ø 3.9" x H 11.8"		
	¹ Triplex Opal Glass (acid etch on the outside)		
	² Soda Lime Marble Matte Glass		
Weight	³ Borosilicate Transparent Ribbon Glass (extra charge of 30%)		
	11.5 kg / 25.4 lb		
Light Source	LED Bulb (included)		12 x 4 W
	Max Wattage		12 x 15 W
	Total Lumens		2640 lm
	Color Temperature		2200-3000 K
	Bulb Base		E14 / E12
	Bulb Size		G45, max length 80 mm / 3.2"
	Power Supply		230/120V CE/UL
Finishes	Dimmable with electronic dimmers only (ELV, trailing edge)		
	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
Extension Rods (Included)	Heritage Bronze		
	1 x 150 mm 1 x 5.9"	1 x 300 mm 1 x 11.8"	1 x 450 mm 1 x 17.7"
Certified	CE/UL/SAA		
Ingress Protection	IP 20		




Odyssey 6

Pendant - B142

Odyssey Collection

Schwung Product Information



Glass Lampshades	6 x Ø 100 mm x H 150 mm / Ø 3.9" x H 5.9"		
	¹ Triplex Opal Glass (acid etch on the outside)		
	² Soda Lime Marble Matte Glass		
	³ Borosilicate Transparent Ribbon Glass (extra charge of 30%)		
Weight	7.8 kg / 17.2 lb		
Light Source	LED Bulb (included)	6 x 4 W	
	Max Wattage	6 x 15 W	
	Total Lumens	1320 lm	
	Color Temperature	2200-3000 K	
	Bulb Base	E14 / E12	
	Bulb Size	G45, max length 80 mm / 3.2"	
	Power Supply	230/120V CE/UL	
	Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"
Certified	CE/UL/SAA		
Ingress Protection	IP 20		




Odyssey 4

Pendant - B141

Odyssey Collection

Schwung Product Information



Glass Lampshades	4 x Ø 100 mm x H 150 mm / Ø 3.9" x H 5.9"		
	¹ Triplex Opal Glass (acid etch on the outside)		
	² Soda Lime Marble Matte Glass		
	³ Borosilicate Transparent Ribbon Glass (extra charge of 30%)		
Weight	5.8 kg / 12.8 lb		
Light Source	LED Bulb (included)	4 x 4 W	
	Max Wattage	4 x 15 W	
	Total Lumens	880 lm	
	Color Temperature	2200-3000 K	
	Bulb Base	E14 / E12	
	Bulb Size	G45, max length 80 mm / 3.2"	
	Power Supply	230/120V CE/UL	
	Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"
Certified	CE/UL/SAA		
Ingress Protection	IP 20		




Odyssey 3

Pendant - B140

Odyssey Collection

Schwung Product Information



Glass Lampshades	3 x Ø 100 mm x H 225 mm / Ø 3.9" x H 8.9"		
	¹ Triplex Opal Glass (acid etch on the outside)		
	² Soda Lime Marble Matte Glass		
	³ Borosilicate Transparent Ribbon Glass (extra charge of 30%)		
Weight	6.2 kg / 13.6 lb		
Light Source	LED Bulb (included)	3 x 4 W	
	Max Wattage	3 x 15 W	
	Total Lumens	660 lm	
	Color Temperature	2200-3000 K	
	Bulb Base	E14 / E12	
	Bulb Size	G45, max length 80 mm / 3.2"	
	Power Supply	230/120V CE/UL	
	Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"
Certified	CE/UL/SAA		
Ingress Protection	IP 20		




Odyssey Single LG

Pendant - B163

Odyssey Collection

Schwung Product Information



Glass Lampshades	1 x Ø 100 mm x H 300 mm / Ø 3.9" x H 11.8"	
	¹ Triplex Opal Glass (acid etch on the outside)	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass (extra charge of 30%)	
Weight	1.4 kg / 3.1 lb	
Light Source	LED Bulb (included)	1 x 4 W
	Max Wattage	1 x 15 W
	Total Lumens	220 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Bulb Size	G45, max length 80 mm / 3.2"
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Canopy (Vaulted Ceiling Compatible)	Ø 120 mm	H 32 mm
	Ø 4.7"	H 1.2"
Certified	CE/UL/SAA	
Ingress Protection	IP 20	




Odyssey Single MD

Pendant - B162

Odyssey Collection

Schwung Product Information



Glass Lampshades	1 x Ø 100 mm x H 225 mm / Ø 3.9" x H 8.9"	
	¹ Triplex Opal Glass (acid etch on the outside)	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass (extra charge of 30%)	
Weight	1.2 kg / 2.6 lb	
Light Source	LED Bulb (included)	1 x 4 W
	Max Wattage	1 x 15 W
	Total Lumens	220 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Bulb Size	G45, max length 80 mm / 3.2"
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Canopy (Vaulted Ceiling Compatible)	Ø 120 mm	H 32 mm
	Ø 4.7"	H 1.2"
Certified	CE/UL/SAA	
Ingress Protection	IP 20	




Odyssey Single SM

Pendant - B161

Odyssey Collection

Schwung Product Information



Glass Lampshades	1 x Ø 100 mm x H 150 mm / Ø 3.9" x H 5.9"	
	¹ Triplex Opal Glass (acid etch on the outside)	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass (extra charge of 30%)	
Weight	1.0 kg / 2.2 lb	
Light Source	LED Bulb (included)	1 x 4 W
	Max Wattage	1 x 15 W
	Total Lumens	220 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Bulb Size	G45, max length 80 mm / 3.2"
	Power Supply	230/120V CE/UL
	Dimmable with electronic dimmers only (ELV, trailing edge)	
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Canopy (Vaulted Ceiling Compatible)	Ø 120 mm	H 32 mm
	Ø 4.7"	H 1.2"
Certified	CE/UL/SAA	
Ingress Protection	IP 20	




Soap B7 LG

Chandelier - B028

Classic Collection

Schwung Product Information



Glass Lampshades	7 x Ø 250 mm / Ø 7.9"		
	1 Borosilicate Transparent Glass		
	2 Organic Glass		
Weight	27.4 kg / 60.4 lb		
Light Source	LED Bulb (included)	7 x 1.6 W	
	Max Wattage	7 x 5 W	
	Total Lumens	1260 lm	
	Color Temperature	2700 K	
	Bulb Base	G4, 12 V	
	Power Supply	230/120V CE/UL	
	Compatible dimmers are specified in the instruction manual		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	5 x 150 mm	5 x 300 mm	5 x 450 mm
	5 x 5.9"	5 x 11.8"	5 x 17.7"
Certified	CE/UL		
Ingress Protection	IP 20		




Soap B7 MD

Chandelier - B027

Classic Collection

Schwung Product Information



Glass Lampshades	7 x Ø 200 mm / Ø 7.9"		
	¹ Borosilicate Transparent Glass		
	² Organic Glass		
Weight	21.5 kg / 47.4 lb		
Light Source	LED Bulb (included)	7 x 1.6 W	
	Max Wattage	7 x 5 W	
	Total Lumens	1260 lm	
	Color Temperature	2700 K	
	Bulb Base	G4, 12 V	
	Power Supply	230/120V CE/UL	
	Compatible dimmers are specified in the instruction manual		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	5 x 150 mm	5 x 300 mm	5 x 450 mm
	5 x 5.9"	5 x 11.8"	5 x 17.7"
Certified	CE/UL		
Ingress Protection	IP 20		




Soap 6 DT

Chandelier - B036

Classic Collection

Schwung Product Information



Glass Lampshades	6 x Ø 250 mm / Ø 9.8"		
	¹ Borosilicate Transparent Glass		
	² Organic Glass		
Weight	22.6 kg / 49.9 lb		
Light Source	LED Bulb (included)	6 x 1.6 W	
	Max Wattage	6 x 5 W	
	Total Lumens	1080 lm	
	Color Temperature	2700 K	
	Bulb Base	G4, 12 V	
	Power Supply	230/120V CE/UL	
	Compatible dimmers are specified in the instruction manual		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	4 x 150 mm	4 x 300 mm	4 x 450 mm
	4 x 5.9"	4 x 11.8"	4 x 17.7"
Certified	CE		
Ingress Protection	IP 20		




RD15 12 Arms

Chandelier - B100

Classic Collection

Schwung Product Information



Glass Lampshades	12 x Ø 250 mm / Ø 9.8"		
	¹ Borosilicate Transparent Glass		
	² Organic Glass		
Weight	32.0 kg / 70.0 lb		
Light Source	LED Bulb (included)	12 x 1.6 W	
	Max Wattage	12 x 5 W	
	Total Lumens	2160 lm	
	Color Temperature	2700 K	
	Bulb Base	G4, 12 V	
	Power Supply	230/120V CE/UL	
	Compatible dimmers are specified in the instruction manual		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"
Canopy (Vaulted Ceiling Compatible)	Ø 195 mm	H 45 mm	
	Ø 7.7"	H 1.8"	
Certified	CE/UL		
Ingress Protection	IP 20		




RD15 8 Arms


Chandelier - B080

Classic Collection

Schwung Product Information



Glass Lampshades	8 x Ø 250 mm / Ø 9.8"		
	¹ Borosilicate Transparent Glass		
	² Organic Glass		
Weight	21.0 kg / 46.3 lb		
Light Source	LED Bulb (included)	8 x 1.6 W	
	Max Wattage	8 x 5 W	
	Total Lumens	1440 lm	
	Color Temperature	2700 K	
	Bulb Base	G4, 12 V	
	Power Supply	230/120V CE/UL	
	Compatible dimmers are specified in the instruction manual		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"
Canopy (Vaulted Ceiling Compatible)	Ø 195 mm	H 45 mm	
	Ø 7.7"	H 1.8"	
Certified	CE/UL		
Ingress Protection	IP 20		




RD15 6 Arms

Chandelier - B013

Classic Collection

Schwung Product Information



Glass Lampshades	6 x Ø 250 mm / Ø 9.8"		
	¹ Borosilicate Transparent Glass		
	² Organic Glass		
Weight	16.5 kg / 36.38 lb		
Light Source	LED Bulb (included)	6 x 1.6 W	
	Max Wattage	6 x 5 W	
	Total Lumens	1080 lm	
	Color Temperature	2200-3000 K	
	Bulb Base	G4, 12 V	
	Power Supply	230/120V CE/UL	
	Compatible dimmers are specified in the instruction manual		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"
Canopy (Vaulted Ceiling Compatible)	Ø 195 mm	H 45 mm	
	Ø 7.7"	H 1.8"	
Certified	CE/UL		
Ingress Protection	IP 20		




RD15 3 Arms

Chandelier - B079

Classic Collection

Schwung Product Information



Glass Lampshades	3 x Ø 250 mm / Ø 9.8"		
	¹ Borosilicate Transparent Glass		
	² Organic Glass		
Weight	10.5 kg / 23.1 lb		
Light Source	LED Bulb (included)	3 x 1.6 W	
	Max Wattage	3 x 5 W	
	Total Lumens	540 lm	
	Color Temperature	2700 K	
	Bulb Base	G4, 12 V	
	Power Supply	230/120V CE/UL	
	Compatible dimmers are specified in the instruction manual		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"
Canopy (Vaulted Ceiling Compatible)	Ø 195 mm	H 45 mm	
	Ø 7.7"	H 1.8"	
Certified	CE/UL		
Ingress Protection	IP 20		




Universe

Chandelier - B061

Classic Collection

Schwung Product Information



Glass Lampshades		1 x Ø 250 mm / Ø 9.8"	
		1 x Ø 200 mm / Ø 7.9"	
		1 x Ø 150 mm / Ø 5.9"	
		¹ Borosilicate Transparent Glass	
		² Organic Glass	
Weight		21.0 kg / 46.3 lb	
Light Source	LED Bulb (included)	3 x 1.6 W	
	Max Wattage	3 x 5 W	
	Total Lumens	540 lm	
	Color Temperature	2700 K	
	Bulb Base	G4, 12 V	
	Power Supply	230/120V CE/UL	
Compatible dimmers are specified in the instruction manual			
Finishes		LBB / Lacquered Burnished Brass	
		BGM / Black Gunmetal	
		PN / Polished Nickel (extra charge of 25%)	
		Classic Bronze	
		Heritage Bronze	
Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"
Canopy (Vaulted Ceiling Compatible)		Ø 195 mm	H 45 mm
		Ø 7.7"	H 1.8"
Certified		CE/UL	
Ingress Protection		IP 20	




Axis

Chandelier - B176

Classic Collection

Schwung Product Information



Glass Lampshades	5 x Ø 250 mm / Ø 9.9"		
	1 Borosilicate Transparent Glass		
	2 Organic Glass		
Weight	12.2 kg / 26.9 lb		
Light Source	LED Bulb (included)	5 x 1.6 W	
	Max Wattage	5 x 5 W	
	Total Lumens	900 lm	
	Color Temperature	2700 K	
	Bulb Base	G4, 12 V	
	Power Supply	230/120V CE/UL	
	Compatible dimmers are specified in the instruction manual		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"
Certified	CE/UL		
Ingress Protection	IP 20		




Balance 200 X 150

Pendant - B066

Classic Collection

Schwung Product Information



Glass Lampshades	1 x Ø 200 mm / Ø 7.9"		
	1 x Ø 150 mm / Ø 5.9"		
	¹ Borosilicate Transparent Glass		
	² Organic Glass		
Weight	2.8 kg / 6.2 lb		
Light Source	LED Bulb (included)	2 x 1.6 W	
	Max Wattage	2 x 1.6 W	
	Total Lumens	360 lm	
	Color Temperature	2700 K	
	Bulb Base	G4, 12 V	
	Power Supply	230/120V CE/UL	
	Compatible dimmers are specified in the instruction manual		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"
Certified	CE		
Ingress Protection	IP 20		




Balance 150 X 150

Pendant - B065

Classic Collection

Schwung Product Information



Glass Lampshades	2 x Ø 150 mm / Ø 5.9"		
	1 Borosilicate Transparent Glass		
	2 Organic Glass		
Weight	2.5 kg / 5.5 lb		
Light Source	LED Bulb (included)	2 x 1.6 W	
	Max Wattage	2 x 1.6 W	
	Total Lumens	360 lm	
	Color Temperature	2700 K	
	Bulb Base	G4, 12 V	
	Power Supply	230/120V CE/UL	
	Compatible dimmers are specified in the instruction manual		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"
Certified	CE		
Ingress Protection	IP 20		




Cluster 13 Mix

Chandelier - B193

Classic Collection

Schwung Product Information



Glass Lampshades	3 x Ø 350 mm / Ø 13.8"	
	6 x Ø 300 mm / Ø 11.8"	
	3 x Ø 250 mm / Ø 9.9"	
	1 x Ø 200 mm / Ø 7.9"	
	¹ Borosilicate Transparent Glass	
	² Organic Glass	
Weight	36.9 kg / 81.4 lb	
Light Source	LED Bulb (included)	13 x 1.6 W
	Max Wattage	13 x 1.6 W
	Total Lumens	2340 lm
	Color Temperature	2700 K
	Bulb Base	G4, 12 V
	Power Supply	230/120V CE/UL
	Compatible dimmers are specified in the instruction manual	
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	




Cluster 13

Chandelier - B212

Classic Collection

Schwung Product Information



Glass Lampshades	13 x Ø 200 mm / Ø 7.9"	
	¹ Borosilicate Transparent Glass	
	² Organic Glass	
Weight	18.6 kg / 41.0 lb	
Light Source	LED Bulb (included)	13 x 1.6 W
	Max Wattage	13 x 1.6 W
	Total Lumens	2340 lm
	Color Temperature	2700 K
	Bulb Base	G4, 12 V
	Power Supply	230/120V CE/UL
Compatible dimmers are specified in the instruction manual		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	




Cloud 250

Chandelier - B654

Classic Collection

Schwung Product Information



Glass Lampshades	19 x Ø 250 mm / Ø 9.9"	
	¹ Borosilicate Transparent Glass	
	² Organic Glass	
Weight	21.7 kg / 47.8 lb	
Light Source	LED Bulb (included)	19 x 1.6 W
	Max Wattage	19 x 1.6 W
	Total Lumens	3420 lm
	Color Temperature	2700 K
	Bulb Base	G4, 12 V
	Power Supply	230/120V CE/UL
	Compatible dimmers are specified in the instruction manual	
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	




Cluster 5 Mix

Chandelier - B084

Classic Collection

Schwung Product Information



Glass Lampshades	1 x Ø 350 mm / Ø 13.8"	
	1 x Ø 300 mm / Ø 11.8"	
	1 x Ø 250 mm / Ø 9.9"	
	1 x Ø 200 mm / Ø 7.9"	
	1 x Ø 150 mm / Ø 5.9"	
	¹ Borosilicate Transparent Glass	
	² Organic Glass	
Weight	16.5 kg / 36.4 lb	
Light Source	LED Bulb (included)	5 x 1.6 W
	Max Wattage	5 x 10 W
	Total Lumens	900 lm
	Color Temperature	2700 K
	Bulb Base	G4, 12 V
	Power Supply	230/120V CE/UL
	Compatible dimmers are specified in the instruction manual	
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	




Glass Globe

Pendant - B074-B078

Classic Collection

Schwung Product Information



Glass Lampshades		1 x Ø 350 mm / Ø 13.8" 1 x Ø 300 mm / Ø 11.8" 1 x Ø 250 mm / Ø 9.9" 1 x Ø 200 mm / Ø 7.9" 1 x Ø 150 mm / Ø 5.9" ¹ Borosilicate Transparent Glass ² Organic Glass
Weight	Ø 350 mm	2.4 kg / 5.3 lb
	Ø 300 mm	2.0 kg / 4.4 lb
	Ø 250 mm	1.7 kg / 3.8 lb
	Ø 200 mm	1.3 kg / 2.9 lb
	Ø 150 mm	1.1 kg / 2.4 lb
Light Source		LED Bulb (included) 1 x 1.6 W Max Wattage 1 x 20 W Total Lumens 180 lm Color Temperature 2700 K Bulb Base G4, 12 V Power Supply 230/120V CE/UL Compatible dimmers are specified in the instruction manual
Finishes		LBB / Lacquered Burnished Brass BGM / Black Gunmetal PN / Polished Nickel (extra charge of 25%) Classic Bronze Heritage Bronze
Certified		CE/UL
Ingress Protection		IP 20




Dries

Pendant - B087-B090

Classic Collection

Schwung Product Information



Glass Lampshades	1 x Ø 300 mm / Ø 11.8"	
	1 x Ø 250 mm / Ø 9.8"	
	1 x Ø 200 mm / Ø 7.9"	
	1 x Ø 150 mm / Ø 5.9"	
	1 Borosilicate Transparent Glass	
Weight	Ø 300 mm	2.3 kg / 5.1 lb
	Ø 250 mm	1.9 kg / 4.2 lb
	Ø 200 mm	1.6 kg / 3.5 lb
	Ø 150 mm	1.4 kg / 3.1 lb
Light Source	LED Bulb	1 x 4 W (included for CE market only)
	Max Wattage	1 x 20 W
	Total Lumens	250 lm
	Color Temperature	2700 K
	Bulb Base	G9
	Power Supply	230/120V CE/UL
	Dimmable with electronic dimmers only (ELV, trailing edge)	
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Canopy (Vaulted Ceiling Compatible)	Ø 140 mm	H 12 mm
	Ø 5.5"	H 0.5"
Certified	CE/UL	
Ingress Protection	IP 20	




Glass Globe Opal

Pendant - B197, B198, B199, B200, B485

Globe Collection

Schwung Product Information



Glass Lampshades		1 x Ø 600 mm / Ø 23.6"	
		1 x Ø 500 mm / Ø 19.7"	
		1 x Ø 400 mm / Ø 15.8"	
		1 x Ø 300 mm / Ø 11.8"	
		1 x Ø 200 mm / Ø 7.9"	
		¹ Soda Lime Triplex Opal Glass	
Weight	Ø 200 mm	2,2 kg / 4,4 lb	
	Ø 300 mm	3,1 kg / 6,8 lb	
	Ø 400 mm	4,8 kg / 10,6 lb	
	Ø 500 mm	6,0 kg / 13,2 lb	
	Ø 600 mm	8,8 kg / 19,4 lb	
Light Source		LED Bulb (included)	1 x 6-8 W
		Max Wattage	1 x 15 W
		Total Lumens	600 lm
		Color Temperature	2000-3000 K
		Bulb Base	E27 / E26
		Power Supply	230/120V CE/UL
		Dimmable with electronic dimmers only (ELV, trailing edge)	
Finishes		LBB / Lacquered Burnished Brass	
		BGM / Black Gunmetal	
		PN / Polished Nickel (extra charge of 25%)	
		Classic Bronze	
		Heritage Bronze	
Extension Rods (Included)		1 x 150 mm 1 x 5.9"	1 x 300 mm 1 x 11.8"
			1 x 450 mm 1 x 17.7"
Canopy (Vaulted Ceiling Compatible)		Ø 140 mm Ø 5.5"	H 12 mm H 0.5"
Certified		CE/UL	
Ingress Protection		IP 20	




Tubular MD

Chandelier - B150

Globe Collection

Schwung Product Information




Glass Lampshades	3 x Ø 200 mm / Ø 7.9"		
	¹ Soda Lime Triplex Opal Matte Glass		
	² Soda Lime Marble Matte Glass		
	³ Borosilicate Transparent Ribbon Glass		
Weight	6.4 kg / 14.1 lb		
Light Source	LED Bulb (included)	3 x 4 W	
	Max Wattage	3 x 15 W	
	Total Lumens	660 lm	
	Color Temperature	2200-3000 K	
	Bulb Base	E14 / E12	
	Power Supply	230/120V CE/UL	
	Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"
Certified	CE/UL		
Ingress Protection	IP 20		



Tubular SM

Chandelier - B149

Globe Collection



Glass Lampshades	3 x Ø 200 mm / Ø 7.9"		
	1 Soda Lime Triplex Opal Matte Glass		
	2 Soda Lime Marble Matte Glass		
	3 Borosilicate Transparent Ribbon Glass		
Weight	5.5 kg / 12.1 lb		
Light Source	LED Bulb (included)	3 x 4 W	
	Max Wattage	3 x 15 W	
	Total Lumens	660 lm	
	Color Temperature	2200-3000 K	
	Bulb Base	E14 / E12	
	Power Supply	230/120V CE/UL	
	Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"
Certified	CE/UL		
Ingress Protection	IP 20		




Cluster 7

Chandelier - B493

Classic Collection

Schwung Product Information



Glass Lampshades	1 x Ø 350 mm / Ø 13.8"	
	2 x Ø 300 mm / Ø 11.8"	
	2 x Ø 250 mm / Ø 9.8"	
	2 x Ø 200 mm / Ø 7.9"	
	¹ Borosilicate Transparent Glass	
	² Organic Glass	
Weight	18.2 kg / 40.1 lb	
Light Source	LED Bulb (included)	7 x 1.6 W
	Max Wattage	7 x 1.6 W
	Total Lumens	1260 lm
	Color Temperature	2700 K
	Bulb Base	G4, 12 V
	Power Supply	230/120V CE/UL
Compatible dimmers are specified in the instruction manual		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	



Vesta Round 24


Chandelier - B729

Vesta Collection

Schwung Product Information

Vaulted Ceiling Mount

Fixed Mount



Weight	15,2 kg / 33.5 lb		
Light Source	LED Bulb (included)	24 x 4 - 5 W	
	Max Wattage	24 x 10 W	
	Total Lumens	5280 lm	
	Color Temperature	2200-3000 K	
	Bulb Base	E14 / E12	
	Bulb Size	Max G45	
	Power Supply	230/120 V CE/UL	
	Compatible dimmers are specified in the instruction manual		
Finishes	Verdigris Ash		
	Rose Ash		
	Shadowed Gild		
	Classic Bronze		
	Heritage Bronze		
	BGM / Black Gunmetal		
	LBB / Lacquered Burnished Brass		
Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"
Canopy (Vaulted Ceiling Compatible)	Ø 200 mm	H 12 mm	
	Ø 7.9"	H 0.5"	
Certified	CE/UL		
Ingress Protection	IP 20		




Vesta Cluster 32

Chandelier - B730

Vesta Collection

Schwung Product Information



Weight	38,6 kg / 85.1 lb	
Light Source	LED Bulb (included)	31 x 4 - 5 W
	Max Wattage	31 x 10 W
	Total Lumens	6820 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Bulb Size	Max G45
	Power Supply	230/120 V CE/UL
Compatible dimmers are specified in the instruction manual		
Finishes	Verdigris Ash	
	Rose Ash	
	Shadowed Gild	
	Classic Bronze	
	Heritage Bronze	
	BGM / Black Gunmetal	
	LBB / Lacquered Burnished Brass	
Certified	CE/UL	
Ingress Protection	IP 20	



Vesta Pendant


Pendant - B732

Vesta Collection

Schwung Product Information

Vaulted Ceiling Mount

Fixed Mount



Weight	5,2 kg / 11.5 lb		
Light Source	LED Bulb (included)	6 x 4 - 5 W	
	Max Wattage	6 x 10 W	
	Total Lumens	1320 lm	
	Color Temperature	2200-3000 K	
	Bulb Base	E14 / E12	
	Bulb Size	Max G45	
	Power Supply	230/120 V CE/UL	
Compatible dimmers are specified in the instruction manual			
Finishes	Verdigris Ash		
	Rose Ash		
	Shadowed Gild		
	Classic Bronze		
	Heritage Bronze		
	BGM / Black Gunmetal		
	LBB / Lacquered Burnished Brass		
Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"
Canopy (Vaulted Ceiling Compatible)	Ø 200 mm	H 12 mm	
	Ø 7.9"	H 0.5"	
Certified	CE/UL		
Ingress Protection	IP 20		

Flush Mount






Hana LG

Wall Sconce/Flush Mount - B674

Hana Collection



Glass Lampshades	1 x Ø 490 mm x H 200 mm	
	1 x Ø 19.3“ x H 7.9“	
	1 Borosilicate Sandblasted Glass	
Weight	3.7 kg / 8.1 lb	
Light Source	LED Bulb (included)	3 x 4 W
	Max Wattage	3 x 15 W
	Total Lumens	660 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14/E12
	Power Supply	230/120V CE/UL
	Compatible dimmers are specified in the instruction manual.	
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	



Orion Oval


Flush Mount - B612

Globe Collection


Schwung Product Information

Vaulted Ceiling Mount

Fixed Mount



Glass Lampshades	16 x Ø 200 mm / Ø 7.9"		
	¹ Soda Lime Triplex Opal Matte Glass		
	² Soda Lime Marble Matte Glass		
	³ Borosilicate Transparent Ribbon Glass		
Weight	26.6 kg / 58.6 lb		
Light Source	LED Bulb (included)	16 x 1.6 W	
	Max Wattage	16 x 5 W	
	Total Lumens	3520 lm	
	Color Temperature	2200-3000 K	
	Bulb Base	E14 / E12	
	Power Supply	230/120V CE/UL	
	Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"
Canopy (Vaulted Ceiling Compatible)	Ø 200 mm	H 12 mm	
	Ø 7.9"	H 0.5"	
Certified	CE/UL		
Ingress Protection	IP 20		



Orion Round


Flush Mount - B300

Globe Collection

Schwung Product Information

Vaulted Ceiling Mount

Fixed Mount



Glass Lampshades	12 x Ø 200 mm / Ø 7.9"		
	¹ Soda Lime Triplex Opal Matte Glass		
	² Soda Lime Marble Matte Glass		
	³ Borosilicate Transparent Ribbon Glass		
Weight	19.5 kg / 43.0 lb		
Light Source	LED Bulb (included)	12 x 4-5 W	
	Max Wattage	12 x 10 W	
	Total Lumens	2640 lm	
	Color Temperature	2200-3000 K	
	Bulb Base	E14 / E12	
	Power Supply	230/120V CE/UL	
	Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"
Canopy (Vaulted Ceiling Compatible)	Ø 140 mm	H 12 mm	
	Ø 5.5"	H 0.5"	
Certified	CE/UL		
Ingress Protection	IP 20		




Armstrong

Wall Sconce - B571

Globe Collection

Schwung Product Information



Glass Lampshades	10 x Ø 150 mm / Ø 5.9"	
	¹ Soda Lime Triplex Opal Matte Glass	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass	
Weight	9.3 kg / 20.5 lb	
Light Source	LED Bulb (included)	10 x 4-5 W
	Max Wattage	10 x 10 W
	Total Lumens	2200 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	




Armstrong 6 L

Wall Sconce - B573

Globe Collection

Schwung Product Information




Glass Lampshades	6 x Ø 150 mm / Ø 5.9"	
	¹ Soda Lime Triplex Opal Matte Glass	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass	
Weight	6.3 kg / 13.9 lb	
Light Source	LED Bulb (included)	6 x 4-5 W
	Max Wattage	6 x 10 W
	Total Lumens	1320 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	




Armstrong 6 R

Flush Mount - B610

Globe Collection



Glass Lampshades	6 x Ø 150 mm / Ø 5.9"	
	¹ Soda Lime Triplex Opal Matte Glass	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass	
Weight	6.3 kg / 13.9 lb	
Light Source	LED Bulb (included)	6 x 4-5 W
	Max Wattage	6 x 10 W
	Total Lumens	1320 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	




Orion 6

Wall Sconce - B591

Globe Collection

Schwung Product Information



Glass Lampshades	6 x Ø 150 mm / Ø 5.9"	
	¹ Soda Lime Triplex Opal Matte Glass	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass	
Weight	6.5 kg / 14.3 lb	
Light Source	LED Bulb (included)	6 x 4-5 W
	Max Wattage	6 x 10 W
	Total Lumens	1320 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Canopy (Vaulted Ceiling Compatible)	Ø 125 mm	H 12 mm
	Ø 4.9"	H 0.5"
Certified	CE/UL	
Ingress Protection	IP 20	




Molecule 8

Wall Sconce - B331

Molecule Collection

Schwung Product Information



Glass Lampshades	8 x Ø 120 mm / Ø 4.7"	
	¹ Borosilicate Transparent Glass	
	² Borosilicate Sandblasted Glass	
Weight	8.0 kg / 17.6 lb	
Light Source	LED Bulb (included)	8 x 3-4 W
	Max Wattage	8 x 10 W
	Total Lumens	1600 lm
	Color Temperature	2000-2800 K
	Bulb Base	E27 / E26
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	




Molecule Spark

Wall Sconce - B236

Molecule Collection

Schwung Product Information




Glass Lampshades	5 x Ø 120 mm / Ø 4.7"	
	¹ Borosilicate Transparent Glass	
	² Borosilicate Sandblasted Glass	
Weight	5.6 kg / 12.3 lb	
Light Source	LED Bulb (included)	5 x 3-4 W
	Max Wattage	5 x 10 W
	Total Lumens	1000 lm
	Color Temperature	2000-2800 K
	Bulb Base	E27 / E26
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	



Molecule 5

Wall Sconce - B233

Molecule Collection




Glass Lampshades	5 x Ø 120 mm / Ø 4.7"	
	¹ Borosilicate Transparent Glass	
	² Borosilicate Sandblasted Glass	
Weight	5.3 kg / 11.7 lb	
Light Source	LED Bulb (included)	5 x 3-4 W
	Max Wattage	5 x 10 W
	Total Lumens	1000 lm
	Color Temperature	2000-2800 K
	Bulb Base	E27 / E26
	Power Supply	230/120V CE/UL
	Dimmable with electronic dimmers only (ELV, trailing edge)	
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	



Molecule 4

Wall Sconce - B285

Molecule Collection



Glass Lampshades	4 x Ø 120 mm / Ø 4.7"	
	¹ Borosilicate Transparent Glass	
	² Borosilicate Sandblasted Glass	
Weight	4.4 kg / 9.7 lb	
Light Source	LED Bulb (included)	4 x 3-4 W
	Max Wattage	4 x 10 W
	Total Lumens	800 lm
	Color Temperature	2000-2800 K
	Bulb Base	E27 / E26
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	

Wall






Armstrong

Wall Sconce - B571

Globe Collection

Schwung Product Information



Glass Lampshades	10 x Ø 150 mm / Ø 5.9"	
	1 Soda Lime Triplex Opal Matte Glass	
	2 Soda Lime Marble Matte Glass	
	3 Borosilicate Transparent Ribbon Glass	
Weight	9.3 kg / 20.5 lb	
Light Source	LED Bulb (included)	10 x 4-5 W
	Max Wattage	10 x 10 W
	Total Lumens	2200 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	




Armstrong 6 L

Wall Sconce - B573

Globe Collection

Schwung Product Information



Glass Lampshades	6 x Ø 150 mm / Ø 5.9"	
	¹ Soda Lime Triplex Opal Matte Glass	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass	
Weight	6.3 kg / 13.9 lb	
Light Source	LED Bulb (included)	6 x 4-5 W
	Max Wattage	6 x 10 W
	Total Lumens	1320 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	




Armstrong 6 R

Wall Sconce - B610

Globe Collection

Schwung Product Information



Glass Lampshades	6 x Ø 150 mm / Ø 5.9"	
	¹ Soda Lime Triplex Opal Matte Glass	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass	
Weight	6.3 kg / 13.9 lb	
Light Source	LED Bulb (included)	6 x 4-5 W
	Max Wattage	6 x 10 W
	Total Lumens	1320 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	




Armstrong 4 L

Wall Sconce - B572

Globe Collection

Schwung Product Information



Glass Lampshades	4 x Ø 150 mm / Ø 5.9"	
	¹ Soda Lime Triplex Opal Matte Glass	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass	
Weight	9.3 kg / 20.5 lb	
Light Source	LED Bulb (included)	4 x 4-5 W
	Max Wattage	4 x 10 W
	Total Lumens	880 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	




Armstrong 4 R


Wall Sconce - B609

Globe Collection

Schwung Product Information



Glass Lampshades	4 x Ø 150 mm / Ø 5.9"	
	¹ Soda Lime Triplex Opal Matte Glass	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass	
Weight	4.3 kg / 9.5 lb	
Light Source	LED Bulb (included)	4 x 4-5 W
	Max Wattage	4 x 10 W
	Total Lumens	880 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	




Orion 6

Wall Sconce - B591

Globe Collection

Schwung Product Information




Glass Lampshades	6 x Ø 150 mm / Ø 5.9"	
	¹ Soda Lime Triplex Opal Matte Glass	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass	
Weight	6.5 kg / 14.3 lb	
Light Source	LED Bulb (included)	6 x 4-5 W
	Max Wattage	6 x 10 W
	Total Lumens	1320 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Canopy (Vaulted Ceiling Compatible)	Ø 125 mm	H 12 mm
	Ø 4.9"	H 0.5"
Certified	CE/UL	
Ingress Protection	IP 20	



Globe Dual

Wall Sconce - B577

Globe Collection




Glass Lampshades	2 x Ø 150 mm / Ø 5.9"	
	1 Soda Lime Triplex Opal Matte Glass	
	2 Soda Lime Marble Matte Glass	
	3 Borosilicate Transparent Ribbon Glass	
Weight	2.7 kg / 5.9 lb	
Light Source	LED Bulb (included)	2 x 4-5 W
	Max Wattage	2 x 10 W
	Total Lumens	440 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	



Armstrong Triple

Wall Sconce - B574

Globe Collection



Glass Lampshades	3 x Ø 150 mm / Ø 5.9"	
	¹ Soda Lime Triplex Opal Matte Glass	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass	
Weight	2.8 kg / 6.2 lb	
Light Source	LED Bulb (included)	3 x 4-5 W
	Max Wattage	3 x 10 W
	Total Lumens	660 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	




Armstrong Dual

Wall Sconce - B575

Globe Collection

Schwung Product Information



Glass Lampshades	2 x Ø 150 mm / Ø 5.9"	
	¹ Soda Lime Triplex Opal Matte Glass	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass	
Weight	2.2 kg / 4.8 lb	
Light Source	LED Bulb (included)	2 x 4-5 W
	Max Wattage	2 x 10 W
	Total Lumens	440 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	




Sunset

Wall Sconce - B647

Globe Collection

Schwung Product Information



Glass Lampshades	1 x Ø 150 mm / Ø 5.9"	
	¹ Soda Lime Triplex Opal Matte Glass	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass	
Weight	1.5 kg / 3.3 lb	
Light Source	LED Bulb (included)	1 x 4-5 W
	Max Wattage	1 x 10 W
	Total Lumens	220 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Versatile Arm Positioning	Upright & Downwards	
Certified	CE/UL	
Ingress Protection	IP 20	




Adrion LG

Wall Sconce - B653

Globe Collection

Schwung Product Information




Glass Lampshades	1 x Ø 150 mm / Ø 5.9"	
	¹ Soda Lime Triplex Opal Matte Glass	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass	
Weight	2.6 kg / 5.7 lb	
Light Source	LED Bulb (included)	1 x 4-5 W
	Max Wattage	1 x 10 W
	Total Lumens	220 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	



Adrion MD

Wall Sconce - B652

Globe Collection



Glass Lampshades	1 x Ø 150 mm / Ø 5.9"	
	¹ Soda Lime Triplex Opal Matte Glass	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass	
Weight	2.2 kg / 4.8 lb	
Light Source	LED Bulb (included)	1 x 4-5 W
	Max Wattage	1 x 10 W
	Total Lumens	220 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	




Adrion SM

Wall Sconce - B651

Globe Collection

Schwung Product Information



Glass Lampshades	1 x Ø 150 mm / Ø 5.9"	
	¹ Soda Lime Triplex Opal Matte Glass	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass	
Weight	1.7 kg / 3.7 lb	
Light Source	LED Bulb (included)	1 x 4-5 W
	Max Wattage	1 x 10 W
	Total Lumens	220 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	




Adrion Napoli

Wall Sconce - B742

Globe Collection

Schwung Product Information




Glass Lampshades	1 x Ø 200 mm / Ø 7.9 "	
	¹ Soda Lime Triplex Opal Matte Glass	
Weight	2,6 kg / 5.7 lb	
Light Source	LED Bulb (included)	1 x 4-5 W
	Max Wattage	1 x 10 W
	Total Lumens	220 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	Napoli Auburn Napoli Blue Napoli Green Napoli Ivory	
Certified	CE/UL	
Ingress Protection	IP 20	



Pulsar 250

Wall Sconce - B650

Globe Collection




Glass Lampshades	1 x Ø 250 mm / Ø 9.9"	
	¹ Soda Lime Triplex Opal Matte Glass	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass	
Weight	3.7 kg / 8.1 lb	
Light Source	LED Bulb (included)	1 x 4-5 W
	Max Wattage	1 x 10 W
	Total Lumens	220 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Power Supply	230/120V CE/UL
	Dimmable with electronic dimmers only (ELV, trailing edge)	
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Canopy (Vaulted Ceiling Compatible)	Ø 250 mm	H 13 mm
	Ø 9.9"	H 0.5"
Certified	CE/UL	
Ingress Protection	IP 20	



Pulsar 200

Wall Sconce - B649

Globe Collection




Glass Lampshades	1 x Ø 200 mm / Ø 7.9"	
	¹ Soda Lime Triplex Opal Matte Glass	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass	
Weight	2.9 kg / 6.4 lb	
Light Source	LED Bulb (included)	1 x 4-5 W
	Max Wattage	1 x 10 W
	Total Lumens	220 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Canopy (Vaulted Ceiling Compatible)	Ø 200 mm	H 13 mm
	Ø 7.9"	H 0.5"
Certified	CE/UL	
Ingress Protection	IP 20	



Pulsar 150

Wall Sconce - B648

Globe Collection



Glass Lampshades	1 x Ø 150 mm / Ø 5.9"	
	¹ Soda Lime Triplex Opal Matte Glass	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass	
Weight	1.3 kg / 2.8 lb	
Light Source	LED Bulb (included)	1 x 4-5 W
	Max Wattage	1 x 10 W
	Total Lumens	220 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Canopy (Vaulted Ceiling Compatible)	Ø 150 mm	H 13 mm
	Ø 5.9"	H 0.5"
Certified	CE/UL	
Ingress Protection	IP 20	




Molecule 8

Wall Sconce - B331

Molecule Collection

Schwung Product Information



Glass Lampshades	8 x Ø 120 mm / Ø 4.7"	
	¹ Borosilicate Transparent Glass	
	² Borosilicate Sandblasted Glass	
Weight	8.0 kg / 17.6 lb	
Light Source	LED Bulb (included)	8 x 3-4 W
	Max Wattage	8 x 10 W
	Total Lumens	1600 lm
	Color Temperature	2000-2800 K
	Bulb Base	E27 / E26
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	




Molecule Spark

Wall Sconce - B236

Molecule Collection

Schwung Product Information



Glass Lampshades	5 x Ø 120 mm / Ø 4.7"	
	¹ Borosilicate Transparent Glass	
	² Borosilicate Sandblasted Glass	
Weight	5.6 kg / 12.3 lb	
Light Source	LED Bulb (included)	5 x 3-4 W
	Max Wattage	5 x 10 W
	Total Lumens	1000 lm
	Color Temperature	2000-2800 K
	Bulb Base	E27 / E26
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	




Molecule 5

Wall Sconce - B233

Molecule Collection

Schwung Product Information



Glass Lampshades	5 x Ø 120 mm / Ø 4.7"	
	¹ Borosilicate Transparent Glass	
	² Borosilicate Sandblasted Glass	
Weight	5.3 kg / 11.7 lb	
Light Source	LED Bulb (included)	5 x 3-4 W
	Max Wattage	5 x 10 W
	Total Lumens	1000 lm
	Color Temperature	2000-2800 K
	Bulb Base	E27 / E26
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	




Molecule 4

Wall Sconce - B285

Molecule Collection

Schwung Product Information




Glass Lampshades	4 x Ø 120 mm / Ø 4.7"	
	¹ Borosilicate Transparent Glass	
	² Borosilicate Sandblasted Glass	
Weight	4.4 kg / 9.7 lb	
Light Source	LED Bulb (included)	4 x 3-4 W
	Max Wattage	4 x 10 W
	Total Lumens	800 lm
	Color Temperature	2000-2800 K
	Bulb Base	E27 / E26
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	



Molecule Single

Wall Sconce - B327

Molecule Collection



Glass Lampshades	1 x Ø 120 mm / Ø 4.7"	
	¹ Borosilicate Transparent Glass	
	² Borosilicate Sandblasted Glass	
Weight	1.7 kg / 3.8 lb	
Light Source	LED Bulb (included)	1 x 3-4 W
	Max Wattage	1 x 10 W
	Total Lumens	200 lm
	Color Temperature	2000-2800 K
	Bulb Base	E27 / E26
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	




Molecule 1

Wall Sconce - B657

Molecule Collection

Schwung Product Information



Glass Lampshades	1 x Ø 120 mm / Ø 4.7"	
	¹ Borosilicate Transparent Glass	
	² Borosilicate Sandblasted Glass	
Weight	1.1 kg / 2.4 lb	
Light Source	LED Bulb (included)	1 x 3-4 W
	Max Wattage	1 x 10 W
	Total Lumens	200 lm
	Color Temperature	2000-2800 K
	Bulb Base	E27 / E26
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	Classic Bronze	
	Heritage Bronze	
Canopy (Vaulted Ceiling Compatible)	Ø 125 mm	H 13 mm
	Ø 4.9"	H 0.5"
Certified	CE/UL	
Ingress Protection	IP 20	




Odyssey LG

Wall Sconce - B147

Odyssey Collection

Schwung Product Information



Glass Lampshades	1 x Ø 100 mm x H 300 mm / Ø 3.9" x H 11.8"	
	¹ Triplex Opal Glass (acid etch on the outside)	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass (extra charge of 30%)	
Weight	2.4 kg / 5.3 lb	
Light Source	LED Bulb (included)	1 x 4 W
	Max Wattage	1 x 15 W
	Total Lumens	220 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Bulb Size	G45, max length 80 mm / 3.2"
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Blue Painted Brass	
	Classic Bronze	
Certified	Heritage Bronze	
	CE/UL/SAA	
Ingress Protection	IP 20	




Odyssey MD

Wall Sconce - B146

Odyssey Collection

Schwung Product Information




Glass Lampshades		1 x Ø 100 mm x H 225 mm / Ø 3.9" x H 8.9"	
		¹ Triplex Opal Glass (acid etch on the outside)	
		² Soda Lime Marble Matte Glass	
		³ Borosilicate Transparent Ribbon Glass (extra charge of 30%)	
Weight		2.0 kg / 4.4 lb	
Light Source	LED Bulb (included)	1 x 4 W	
	Max Wattage	1 x 15 W	
	Total Lumens	220 lm	
	Color Temperature	2200-3000 K	
	Bulb Base	E14 / E12	
	Bulb Size	G45, max length 80 mm / 3.2"	
	Power Supply	230/120V CE/UL	
		Dimmable with electronic dimmers only (ELV, trailing edge)	
Finishes		LBB / Lacquered Burnished Brass	
		BGM / Black Gunmetal	
		PN / Polished Nickel (extra charge of 25%)	
		Blue Painted Brass	
		Classic Bronze	
		Heritage Bronze	
Certified		CE/UL/SAA	
Ingress Protection		IP 20	



Odyssey SM

Wall Sconce - B145

Odyssey Collection



Glass Lampshades	1 x Ø 100 mm x H 150 mm / Ø 3.9" x H 5.9"	
	¹ Triplex Opal Glass (acid etch on the outside)	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass (extra charge of 30%)	
Weight	1.5 kg / 3.3 lb	
Light Source	LED Bulb (included)	1 x 4 W
	Max Wattage	1 x 15 W
	Total Lumens	220 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Bulb Size	G45, max length 80 mm / 3.2"
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Blue Painted Brass	
	Classic Bronze	
Certified	CE/UL/SAA	
Ingress Protection	IP 20	




Odyssey Kyoto

Wall Sconce - B146-211

Odyssey Collection

Schwung Product Information



Glass Lampshades		1 x Ø 100 mm x H 150 mm / Ø 3.9" x H 5.9"
		¹ Triplex Opal Glass (acid etch on the outside)
		² Soda Lime Marble Matte Glass
		³ Borosilicate Transparent Ribbon Glass (extra charge of 30%)
Weight		1.8 kg / 3.97 lb
Light Source	LED Bulb (included)	1 x 4 W
	Max Wattage	1 x 15 W
	Total Lumens	220 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Bulb Size	G45, max length 80 mm / 3.2"
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes		GOLD BLACK GOLD-BLACK
Certified		CE/UL/SAA
Ingress Protection		IP 20




Odyssey VIK

Wall Sconce - B146-208

Odyssey Collection

Schwung Product Information




Glass Lampshades	1 x Ø 100 mm x H 225 mm / Ø 3.9" x H 8.9"	
	1 Triplex Opal Glass (acid etch on the outside)	
Weight	2.0 kg / 4.4 lb	
Light Source	LED Bulb (included)	1 x 4 W
	Max Wattage	1 x 15 W
	Total Lumens	220 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Bulb Size	G45, max length 80 mm / 3.2"
	Power Supply	230/120V CE/UL
	Dimmable with electronic dimmers only (ELV, trailing edge)	
Finishes	Ivory Painted Brass	
Certified	CE/UL/SAA	
Ingress Protection	IP 20	



Odyssey Galloway

Wall Sconce - B146-207

Odyssey Collection



Glass Lampshades		1 x Ø 100 mm x H 225 mm / Ø 3.9" x H 8.9"
		¹ Triplex Opal Glass (acid etch on the outside)
		² Soda Lime Marble Matte Glass
		³ Borosilicate Transparent Ribbon Glass (extra charge of 30%)
Weight		2.0 kg / 4.4 lb
Light Source	LED Bulb (included)	1 x 4 W
	Max Wattage	1 x 15 W
	Total Lumens	220 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Bulb Size	G45, max length 80 mm / 3.2"
	Power Supply	230/120V CE/UL
		Dimmable with electronic dimmers only (ELV, trailing edge)
Finishes		Green Painted Brass
Certified		CE/UL/SAA
Ingress Protection		IP 20




Odyssey Paris

Wall Sconce - B146 Paris

Odyssey Collection

Schwung Product Information




Glass Lampshades	1 x Ø 100 mm x H 225 mm / Ø 3.9" x H 8.9"	
	¹ Borosilicate Transparent Ribbon Glass	
Weight	2.0 kg / 4.4 lb	
Light Source	LED Bulb (included)	1 x 4 W
	Max Wattage	1 x 15 W
	Total Lumens	320 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Bulb Size	G45, max length 80 mm / 3.2"
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL/SAA	
Ingress Protection	IP 20	



Odyssey Santorini MD

Wall Sconce - B146LE

Odyssey Collection




Glass Lampshades	1 x Ø 100 mm x H 225 mm / Ø 3.9" x H 8.9"	
	¹ Triplex Opal Glass (acid etch on the outside)	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass (extra charge of 30%)	
Weight	2.0 kg / 4.4 lb	
Light Source	LED Bulb (included)	1 x 4 W
	Max Wattage	1 x 15 W
	Total Lumens	220 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Bulb Size	G45, max length 80 mm / 3.2"
	Power Supply	230/120V CE/UL
	Dimmable with electronic dimmers only (ELV, trailing edge)	
Finishes	Blue Painted Brass	
Certified	CE/UL/SAA	
Ingress Protection	IP 20	



Odyssey Marrakesh

Wall Sconce - B146-212

Odyssey Collection



Glass Lampshades		1 x Ø 100 mm x H 225 mm / Ø 3.9" x H 8.9"
		¹ Triplex Opal Glass (acid etch on the outside)
		² Soda Lime Marble Matte Glass
		³ Borosilicate Transparent Ribbon Glass (extra charge of 30%)
Weight		2.0 kg / 4.4 lb
Light Source	LED Bulb (included)	1 x 4 W
	Max Wattage	1 x 15 W
	Total Lumens	220 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Bulb Size	G45, max length 80 mm / 3.2"
	Power Supply	230/120V CE/UL
		Dimmable with electronic dimmers only (ELV, trailing edge)
Finishes		Auburn Painted Brass
Certified		CE/UL/SAA
Ingress Protection		IP 20




Odyssey Napoli

Wall Sconce - B146N

Odyssey Collection

Schwung Product Information



Glass Lampshades	1 x Ø 100 mm x H 150 mm / Ø 3.9" x H 5.9"	
	¹ Triplex Opal Glass (acid etch on the outside)	
Weight	1.8 kg / 4 lb	
Light Source	LED Bulb (included)	1 x 4 W
	Max Wattage	1 x 15 W
	Total Lumens	220 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Bulb Size	G45, max length 80 mm / 3.2"
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	Napoli Auburn Napoli Blue Napoli Green Napoli Ivory	
Certified	CE/UL/SAA	
Ingress Protection	IP 20	




Odyssey Canto

Wall Sconce - B741

Odyssey Collection

Schwung Product Information



Glass Lampshades	1 x Ø 100 mm x H 225 mm / Ø 3.9" x H 8.9"	
	¹ Triplex Opal Glass (acid etch on the outside)	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass (extra charge of 30%)	
Weight	1,4 kg / 3.1 lb	
Light Source	LED Bulb (included)	1 x 4 W
	Max Wattage	1 x 15 W
	Total Lumens	220 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	




Oslo Triple

Wall Sconce - B073

Classic Collection

Schwung Product Information




Glass Lampshades	3 x Ø 150 mm / Ø 5.9"	
	¹ Borosilicate Transparent Glass	
	² Organic Glass	
Weight	2.9 kg / 6.4 lb	
Light Source	LED Bulb (included)	3 x 1.6 W
	Max Wattage	3 x 15 W
	Total Lumens	540 lm
	Color Temperature	2700 K
	Bulb Base	G4, 12 V
Compatible dimmers are specified in the instruction manual		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE	
Ingress Protection	IP 20	



Oslo Dual

Wall Sconce - B072

Classic Collection



Glass Lampshades	2 x Ø 150 mm / Ø 5.9"	
	¹ Borosilicate Transparent Glass	
	² Organic Glass	
Weight	2.1 kg / 4.6 lb	
Light Source	LED Bulb (included)	2 x 1.6 W
	Max Wattage	2 x 20 W
	Total Lumens	360 lm
	Color Temperature	2700 K
	Bulb Base	G4, 12 V
	Compatible dimmers are specified in the instruction manual	
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE	
Ingress Protection	IP 20	




Oslo

Wall Sconce - B067

Classic Collection

Schwung Product Information



Glass Lampshades	1 x Ø 150 mm / Ø 5.9"	
	¹ Borosilicate Transparent Glass	
	² Organic Glass	
Weight	1.4 kg / 3.1 lb	
Light Source	LED Bulb (included)	1 x 1.6 W
	Max Wattage	1 x 20 W
	Total Lumens	180 lm
	Color Temperature	2700 K
	Bulb Base	G4, 12 V
Compatible dimmers are specified in the instruction manual		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE	
Ingress Protection	IP 20	





Naples

Wall Sconce - B068

Classic Collection

Schwung Product Information



Glass Lampshades	1 x Ø 150 mm / Ø 5.9"	
	¹ Borosilicate Transparent Glass	
	² Organic Glass	
Weight	1.6 kg / 3.5 lb	
Light Source	LED Bulb (included)	1 x 1.6 W
	Max Wattage	1 x 1.6 W
	Total Lumens	180 lm
	Color Temperature	2700 K
	Bulb Base	G4, 12 V
	Compatible dimmers are specified in the instruction manual	
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE	
Ingress Protection	IP 20	




Miron

Wall Sconce - B071

Classic Collection

Schwung Product Information



Glass Lampshades	2 x Ø 150 mm / Ø 5.9"	
	¹ Borosilicate Transparent Glass	
	² Organic Glass	
Weight	1.5 kg / 3.3 lb	
Light Source	LED Bulb (included)	2 x 1.6 W
	Max Wattage	2 x 1.6 W
	Total Lumens	180 lm
	Color Temperature	2700 K
	Bulb Base	G4, 12 V
Compatible dimmers are specified in the instruction manual		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE	
Ingress Protection	IP 20	




Dawn Dual

Wall Sconce - B111

Classic Collection

Schwung Product Information



Glass Lampshades	2 x Ø 150 mm / Ø 5.9"	
	¹ Borosilicate Transparent Glass	
	² Organic Glass	
Weight	2.0 kg / 4.4 lb	
Light Source	LED Bulb (included)	2 x 1.6 W
	Max Wattage	2 x 20 W
	Total Lumens	360 lm
	Color Temperature	2700 K
	Bulb Base	G4, 12 V
	Compatible dimmers are specified in the instruction manual	
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	




Dawn Single

Wall Sconce - B110

Classic Collection

Schwung Product Information



Glass Lampshades	1 x Ø 150 mm / Ø 5.9"	
	¹ Borosilicate Transparent Glass	
	² Organic Glass	
Weight	1.8 kg / 4.0 lb	
Light Source	LED Bulb (included)	1 x 1.6 W
	Max Wattage	1 x 20 W
	Total Lumens	180 lm
	Color Temperature	2700 K
	Bulb Base	G4, 12 V
	Compatible dimmers are specified in the instruction manual	
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	




Orion Mix

Wall Sconce/Flush Mount - B720


Globe Collection

Schwung Product Information

Vaulted Ceiling Mount



Fixed Mount



Glass Lampshades	3 x Ø 200 mm / Ø 7.9 "		
	3 x Ø 150 mm / Ø 5.9 "		
	¹ Soda Lime Triplex Opal Matte Glass		
	² Soda Lime Marble Matte Glass		
	³ Borosilicate Transparent Glass		
Weight	7,0 kg / 15.4 lb		
Light Source	LED Bulb (included)	6 x 4-5 W	
	Max Wattage	6 x 10 W	
	Total Lumens	1320 lm	
	Color Temperature	2200-3000 K	
	Bulb Base	E14 / E12	
	Power Supply	230/120V CE/UL	
	Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass		
	BGM / Black Gunmetal		
	PN / Polished Nickel (extra charge of 25%)		
	Classic Bronze		
	Heritage Bronze		
Extension Rods (Included)	1 x 150 mm	1 x 300 mm	1 x 450 mm
	1 x 5.9"	1 x 11.8"	1 x 17.7"
Canopy (Vaulted Ceiling Compatible)	Ø 140 mm	H 12 mm	
	Ø 5.5 "	H 0.5 "	
Certified	CE/UL		
Ingress Protection	IP 20		




Vesta SM

Wall Sconce/Flush Mount - B722

Vesta Collection

Schwung Product Information



Weight	1,7 kg / 3.8 lb	
Light Source	LED Bulb (included)	2 x 4 - 5 W
	Max Wattage	2 x 10 W
	Total Lumens	440 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Bulb Size	Max G45
	Power Supply	230/120 V CE/UL
Compatible dimmers are specified in the instruction manual		
Finishes	Verdigris Ash	
	Rose Ash	
	Shadowed Gild	
	Classic Bronze	
	Heritage Bronze	
	BGM / Black Gunmetal	
	LBB / Lacquered Burnished Brass	
Certified	CE/UL	
Ingress Protection	IP 20	




Vesta MD

Wall Sconce/Flush Mount - B725

Vesta Collection

Schwung Product Information



Weight	2,2 kg / 4.4 lb	
Light Source	LED Bulb (included)	2 x 4 - 5 W
	Max Wattage	2 x 10 W
	Total Lumens	440 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Bulb Size	Max G45
	Power Supply	230/120 V CE/UL
Compatible dimmers are specified in the instruction manual		
Finishes	Verdigris Ash	
	Rose Ash	
	Shadowed Gild	
	Classic Bronze	
	Heritage Bronze	
	BGM / Black Gunmetal	
	LBB / Lacquered Burnished Brass	
Certified	CE/UL	
Ingress Protection	IP 20	




Vesta LG

Wall Sconce/Flush Mount - B726

Vesta Collection

Schwung Product Information



Weight	2,7 kg / 5.9 lb	
Light Source	LED Bulb (included)	2 x 4 - 5 W
	Max Wattage	2 x 10 W
	Total Lumens	440 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Bulb Size	Max G45
	Power Supply	230/120 V CE/UL
Compatible dimmers are specified in the instruction manual		
Finishes	Verdigris Ash	
	Rose Ash	
	Shadowed Gild	
	Classic Bronze	
	Heritage Bronze	
	BGM / Black Gunmetal	
	LBB / Lacquered Burnished Brass	
Certified	CE/UL	
Ingress Protection	IP 20	




Vesta Triple

Wall Sconce/Flush Mount - B728

Vesta Collection

Schwung Product Information



Weight	3,0 kg / 6.6 lb	
Light Source	LED Bulb (included)	6 x 4 - 5 W
	Max Wattage	6 x 10 W
	Total Lumens	1320 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Bulb Size	Max G45
	Power Supply	230/120 V CE/UL
Compatible dimmers are specified in the instruction manual		
Finishes	Verdigris Ash	
	Rose Ash	
	Shadowed Gild	
	Classic Bronze	
	Heritage Bronze	
	BGM / Black Gunmetal	
	LBB / Lacquered Burnished Brass	
Certified	CE/UL	
Ingress Protection	IP 20	




Vesta Triple 2

Wall Sconce/Flush Mount - B733

Vesta Collection

Schwung Product Information



Weight	3,5 kg / 7.7 lb	
Light Source	LED Bulb (included)	6 x 4 - 5 W
	Max Wattage	6 x 10 W
	Total Lumens	1320 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Bulb Size	Max G45
	Power Supply	230/120 V CE/UL
Compatible dimmers are specified in the instruction manual		
Finishes	Verdigris Ash Rose Ash Shadowed Gild Classic Bronze Heritage Bronze BGM / Black Gunmetal LBB / Lacquered Burnished Brass	
Certified	CE/UL	
Ingress Protection	IP 20	





Vesta Flex

Wall Sconce - B743

Vesta Collection

Schwung Product Information



Weight	1,7 kg / 3.8 lb	
Light Source	LED Bulb (included)	1 x 4 - 5 W
	Max Wattage	1 x 10 W
	Total Lumens	220 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Bulb Size	Max G45
	Power Supply	230/120 V CE/UL
Compatible dimmers are specified in the instruction manual		
Finishes	Verdigris Ash Rose Ash Shadowed Gild Classic Bronze Heritage Bronze BGM / Black Gunmetal LBB / Lacquered Burnished Brass	
Certified	CE/UL	
Ingress Protection	IP 20	




Vesta XLG


Wall Sconce/Flush Mount - B744

Vesta Collection

Schwung Product Information



4.1"
105 mm



Weight	6,0 kg / 13.2 lb	
Light Source	LED Bulb (included)	2 x 4 - 5 W
	Max Wattage	2 x 10 W
	Total Lumens	440 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Bulb Size	Max G45
	Power Supply	230/120 V CE/UL
Compatible dimmers are specified in the instruction manual		
Finishes	Verdigris Ash Rose Ash Shadowed Gild Classic Bronze Heritage Bronze BGM / Black Gunmetal LBB / Lacquered Burnished Brass	
Certified	CE/UL	
Ingress Protection	IP 20	





Vesta Legion MD

Wall Sconce/Flush Mount - B745

Vesta Collection

Schwung Product Information



Weight	11,0 kg / 24.2 lb	
Light Source	LED Bulb (included)	12 x 4 - 5 W
	Max Wattage	12 x 10 W
	Total Lumens	2640 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Bulb Size	Max G45
	Power Supply	230/120 V CE/UL
Compatible dimmers are specified in the instruction manual		
Finishes	Verdigris Ash	
	Rose Ash	
	Shadowed Gild	
	Classic Bronze	
	Heritage Bronze	
	BGM / Black Gunmetal	
	LBB / Lacquered Burnished Brass	
Certified	CE/UL	
Ingress Protection	IP 20	





Vesta Legion LG

Wall Sconce/Flush Mount - B746

Vesta Collection

Schwung Product Information



Weight	12,5 kg / 27.6 lb	
Light Source	LED Bulb (included)	16 x 4 - 5 W
	Max Wattage	16 x 10 W
	Total Lumens	3520 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Bulb Size	Max G45
	Power Supply	230/120 V CE/UL
Compatible dimmers are specified in the instruction manual		
Finishes	Verdigris Ash	
	Rose Ash	
	Shadowed Gild	
	Classic Bronze	
	Heritage Bronze	
	BGM / Black Gunmetal	
	LBB / Lacquered Burnished Brass	
Certified	CE/UL	
Ingress Protection	IP 20	




Tubular LG

Wall Sconce - B735

Globe Collection

Schwung Product Information




Glass Lampshades	1 x Ø 200 mm / Ø 7.9"	
	¹ Soda Lime Triplex Opal Matte Glass	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass	
Weight	2.8 kg / 6.2 lb	
Light Source	LED Bulb (included)	1 x 4-5 W
	Max Wattage	1 x 10 W
	Total Lumens	220 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	



Tubular MD

Wall Sconce - B736

Globe Collection



Glass Lampshades	1 x Ø 200 mm / Ø 7.9"	
	1 Soda Lime Triplex Opal Matte Glass	
	2 Soda Lime Marble Matte Glass	
	3 Borosilicate Transparent Ribbon Glass	
Weight	2.6 kg / 5.7 lb	
Light Source	LED Bulb (included)	1 x 4-5 W
	Max Wattage	1 x 10 W
	Total Lumens	220 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Certified	CE/UL	
Ingress Protection	IP 20	

Floor






Odyssey 6

Floor Lamp - B165

Odyssey Collection

Schwung Product Information



Glass Lampshades	1 x Ø 100 mm x H 300 mm / Ø 3.9" x H 11.8"	
	¹ Triplex Opal Glass (acid etch on the outside)	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass (extra charge of 30%)	
Weight	18.9 kg / 41.7 lb	
Light Source	LED Bulb (included)	6 x 4 W
	Max Wattage	6 x 15 W
	Total Lumens	1320 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Bulb Size	G45, max length 80 mm / 3.2"
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Cord	3000 mm / 118.1" with inline on-off switch and plug Switch location 50 cm / 19.7" from the base	
Certified	CE/UL	
Ingress Protection	IP 20	




Odyssey 1

Floor Lamp - B191

Odyssey Collection

Schwung Product Information



Glass Lampshades	1 x Ø 100 mm x H 300 mm / Ø 3.9" x H 11.8"	
	¹ Triplex Opal Glass (acid etch on the outside)	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass (extra charge of 30%)	
Weight	12.3 kg / 27.1 lb	
Light Source	LED Bulb (included)	1 x 4 W
	Max Wattage	1 x 15 W
	Total Lumens	220 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Bulb Size	G45, max length 80 mm / 3.2"
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Cord	300 mm / 118.1" with inline on-off switch and plug Switch location 50 cm / 19.7" from the base	
Certified	CE/UL	
Ingress Protection	IP 20	




Milan 3 Arms

Floor Lamp - B070

Classic Collection

Schwung Product Information



Glass Lampshades		1 x Ø 250 mm / Ø 9.8" 1 x Ø 200 mm / Ø 7.9" 1 x Ø 150 mm / Ø 5.9" ¹ Borosilicate Transparent Glass ² Organic Glass
Weight		18.6 kg / 41.0 lb
Light Source	LED Bulb (included)	3 x 1.6 W
	Max Wattage	3 x 15 W
	Total Lumens	540 lm
	Color Temperature	2700 K
	Bulb Base	G4, 12 V
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes		LBB / Lacquered Burnished Brass BGM / Black Gunmetal PN / Polished Nickel (extra charge of 25%) Classic Bronze Heritage Bronze
Cord		3 m / 118.1" with inline on-off switch and plug Switch location 50 cm / 19.7" from the base
Certified		CE/UL
Ingress Protection		IP 20




Milan 1 Arm

Floor Lamp - B069

Classic Collection

Schwung Product Information



Glass Lampshades		1 x Ø 250 mm / Ø 9.8"
		¹ Borosilicate Transparent Glass
		² Organic Glass
Weight		13.4 kg / 29.5 lb
Light Source	LED Bulb (included)	1 x 1.6 W
	Max Wattage	1 x 15 W
	Total Lumens	180 lm
	Color Temperature	2700 K
	Bulb Base	G4, 12 V
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes		LBB / Lacquered Burnished Brass BGM / Black Gunmetal PN / Polished Nickel (extra charge of 25%) Classic Bronze Heritage Bronze
Cord		3 m / 118.1" with inline on-off switch and plug Switch location 50 cm / 19.7" from the base
Certified		CE/UL
Ingress Protection		IP 20




Soap 6

Floor Lamp - B039

Classic Collection

Schwung Product Information



Glass Lampshades	6 x Ø 250 mm / Ø 9.8"	
	¹ Borosilicate Transparent Glass	
	² Organic Glass	
Weight	16.5 kg / 36.38 lb	
Light Source	LED Bulb (included)	6 x 1.6 W
	Max Wattage	6 x 5 W
	Total Lumens	1080 lm
	Color Temperature	2700 K
	Bulb Base	G4, 12 V
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Cord	3 m / 118.1" with inline on-off switch and plug Switch location 50 cm / 19.7" from the base	
Certified	CE	
Ingress Protection	IP 20	




Zosia

Floor Lamp - B062

Classic Collection

Schwung Product Information



Glass Lampshades	1 x Ø 250 mm / Ø 7.9"	
	1 x Ø 150 mm / Ø 5.9"	
	¹ Borosilicate Transparent Glass	
	² Organic Glass	
Weight	8.5 kg / 18.7 lb	
Light Source	LED Bulb (included)	2 x 1.6 W
	Max Wattage	2 x 15 W
	Total Lumens	360 lm
	Color Temperature	2700 K
	Bulb Base	G4, 12 V
	Power Supply	230/120V CE/UL
	Dimmable with electronic dimmers only (ELV, trailing edge)	
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Cord	3 m / 118.1" with inline on-off switch and plug	
	Switch location 50 cm / 19.7" from the base	
Certified	CE/UL	
Ingress Protection	IP 20	




Hana Floor LG

Floor Lamp - B710

Hana Collection

Schwung Product Information



Glass Lampshades	1 x Ø 490 mm x H 200 mm	
	1 x Ø 19.3" x H 7.9"	
	¹ Borosilicate Sandblasted Glass	
Weight	13.2 kg / 29.1 lb	
Light Source	LED Bulb (included)	3 x 4 W
	Max Wattage	3 x 15 W
	Total Lumens	660 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14/E12
	Power Supply	230/120V CE/UL
Finishes	LBB / Lacquered Burnished Brass BGM / Black Gunmetal Classic Bronze Heritage Bronze	
Cord	3 m / 118.1" Dimmer and on-off switch location in base.	
Certified	CE	
Ingress Protection	IP 20	




Vesta Floor

Floor Lamp - B731

Vesta Collection

Schwung Product Information



Weight	7,8 kg / 17.2 lb	
Light Source	LED Bulb (included)	6 x 4 - 5 W
	Max Wattage	6 x 10 W
	Total Lumens	1320 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Bulb Size	Max G45
	Power Supply	230/120 V CE/UL
Finishes	Verdigris Ash Rose Ash Shadowed Gild Classic Bronze Heritage Bronze BGM / Black Gunmetal LBB / Lacquered Burnished Brass	
Cord	3000 mm / 118.1" Dimmer and on-off switch location in base.	
Certified	CE/UL	
Ingress Protection	IP 20	

Table






Hana LG

Table Lamp - B672

Hana Collection

Schwung Product Information



Glass Lampshades	1 x Ø 490 mm x H 200 mm	
	1 x Ø 19.3" x H 7.9"	
	¹ Borosilicate Sandblasted Glass	
Weight	7.6 kg / 16.8 lb	
Light Source	LED Bulb (included)	3 x 4 W
	Max Wattage	3 x 15 W
	Total Lumens	660 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14/E12
	Power Supply	230/120V CE/UL
Finishes	LBB / Lacquered Burnished Brass BGM / Black Gunmetal Classic Bronze Heritage Bronze	
Cord	3 m / 118.1" Dimmer and on-off switch location in base.	
Certified	CE/UL	
Ingress Protection	IP 20	




Odyssey 6

Table Lamp - B192

Odyssey Collection

Schwung Product Information



Glass Lampshades	6 x Ø 100 mm x H 225 mm / Ø 3.9" x H 8.9"	
	¹ Triplex Opal Glass (acid etch on the outside)	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass (extra charge of 30%)	
Weight	9.4 kg / 20.7 lb	
Light Source	LED Bulb (included)	6 x 4 W
	Max Wattage	6 x 15 W
	Total Lumens	1320 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Bulb Size	G45, max length 80 mm / 3.2"
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Cord	3000 mm / 118.1" with inline on-off switch and plug Switch location 500 mm / 19.7" from the base	
Certified	CE/UL	
Ingress Protection	IP 20	




Odyssey 1

Table Lamp - B148

Odyssey Collection

Schwung Product Information



Glass Lampshades	1 x Ø 100 mm x H 225 mm / Ø 3.9" x H 8.9"	
	¹ Triplex Opal Glass (acid etch on the outside)	
	² Soda Lime Marble Matte Glass	
	³ Borosilicate Transparent Ribbon Glass (extra charge of 30%)	
Weight	4.4 kg / 9.7 lb	
Light Source	LED Bulb (included)	1 x 4 W
	Max Wattage	1 x 15 W
	Total Lumens	220 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Bulb Size	G45, max length 80 mm / 3.2"
	Power Supply	230/120V CE/UL
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Cord	3000 mm / 118.1" with inline on-off switch and plug Switch location 50 cm / 19.7" from the base	
Certified	CE/UL	
Ingress Protection	IP 20	




Milan

Table Lamp - B081

Classic Collection

Schwung Product Information



Glass Lampshades	1 x Ø 200 mm / Ø 7.9"	
	¹ Borosilicate Transparent Glass	
	² Organic Glass	
Weight	7.4 kg / 16.3 lb	
Light Source	LED Bulb (included)	1 x 1.6 W
	Max Wattage	1 x 15 W
	Total Lumens	180 lm
	Color Temperature	2700 K
	Bulb Base	G4, 12 V
Dimmable with electronic dimmers only (ELV, trailing edge)		
Finishes	LBB / Lacquered Burnished Brass	
	BGM / Black Gunmetal	
	PN / Polished Nickel (extra charge of 25%)	
	Classic Bronze	
	Heritage Bronze	
Cord	3 m / 118.1" with inline on-off switch and plug Switch location 50 cm / 19.7" from the base	
Certified	CE/UL	
Ingress Protection	IP 20	




Zosia

Table Lamp - B063

Classic Collection

Schwung Product Information



Glass Lampshades	1 x Ø 150 mm / Ø 5.9"	
	1 x Ø 100 mm / Ø 3.9"	
	¹ Borosilicate Transparent Glass	
	² Organic Glass	
Weight	2.7 kg / 6.0 lb	
Light Source	LED Bulb (included)	2 x 1.6 W
	Max Wattage	2 x 15 W
	Total Lumens	360 lm
	Color Temperature	2700 K
	Bulb Base	G4, 12 V
	Power Supply	230/120V CE/UL
	Dimmable with electronic dimmers only (ELV, trailing edge)	
Finishes	LBB / Lacquered Burnished Brass BGM / Black Gunmetal PN / Polished Nickel (extra charge of 25%) Classic Bronze Heritage Bronze	
Cord	3 m / 118.1" with inline on-off switch and plug Switch location 50 cm / 19.7" from the base	
Certified	CE/UL	
Ingress Protection	IP 20	




Vesta Table

Table Lamp - B748

Vesta Collection


Schwung Product Information



Weight	4,6 kg / 10.1 lb	
Light Source	LED Bulb (included)	6 x 4 - 5 W
	Max Wattage	6 x 10 W
	Total Lumens	1320 lm
	Color Temperature	2200-3000 K
	Bulb Base	E14 / E12
	Bulb Size	Max G45
	Power Supply	230/120 V CE/UL
Finishes	Verdigris Ash Rose Ash Shadowed Gild Classic Bronze Heritage Bronze BGM / Black Gunmetal LBB / Lacquered Burnished Brass	
Cord	3000 mm / 118.1" Dimmer and on-off switch location in base.	
Certified	CE	
Ingress Protection	IP 20	

Globe Types

Schwung Product Information

Globe Collection	Name	Technical Detail
	Opal Mat	Soda Lime Triplex Opal Matte Glass
	Marble	Soda Lime Marble Matte Glass
	Dries	Borosilicate Transparent Ribbon Glass

Odyssey Collection	Name	Technical Detail
	Cylinder Mat	Triplex Opal Glass (acid etch on the outside)
	Cylinder Marble	Soda Lime Marble Matte Glass
	Cylinder Dries	Borosilicate Transparent Ribbon Glass

Molecule Collection	Name	Technical Detail
	Transparent	Borosilicate Transparent Glass
	Frosted	Borosilicate Sandblasted Glass

Other Globes	Name	Technical Detail
	Glass Globe	Borosilicate Transparent Glass

Finishes Types



PN / Polished Nickel
(extra charge of 25%)



BGM / Black Gunmetal



LBB / Lacquered
Burnished Brass



Heritage Bronze



Classic Bronze



Verdigris Ash



Shadowed Gild



Rose Ash

Customization Order Guide

30% Extra Charge Customization

- 1 Shortening the product - the minimum length of the lamp, shortening the arms of the lamp.
- 2 Product modification within the maximum length, replacement of lampshades - does not take into account the change in the number of lampshades.
- 3 Extending the maximum length of the lamp to 3 m (9.84 feet) - does not include extending the arms of the lamp.
- 4 Changing the color of the wire from the standard color.





This is a standard customization price guide. More time consuming and/or more elaborate customization will be charged accordingly based on customer specification and the customization price may vary depending on the technical department's evaluation and approval.

Additional Information

PRODUCT INFORMATION

Sloping Ceiling Application

The suspended ceiling bracket is recommended for ceilings with an angle of 0 to 45 degrees



SCHWUNG HOME

EU
ul. Pułaskiego 4a
46-100 Namysłów
Poland

USA
313 S Centennial Street
High Point, NC 27260

@schwung.design
www.schwung.design

Inquiries and Dealers

EU
info@schwung.design
USA
sales@schwung.design

Press Info

press@schwung.design

Call Us

EU
+48 605 332 600
USA
+1 336 307 3712

